



# Table of Contents

## Substation Communications, Enabler of Automation

- Executive Summary ..... I
- 1. Introduction ..... 1-1
- 1.1 Purpose and Scope of This Report..... 1-2
- 2. The Smart Grid Vision..... 2-1
- 3. General Substation Communications Considerations..... 3-1
  - 3.1 Basic Sources of Substation Communications Requirements ..... 3-1
    - 3.1.1 Substation Automation (SA).....3-1
      - 3.1.1.1 Local Substation Automation.....3-4
    - 3.1.2 Distribution Automation (DA) & Automatic Meter Reading (AMR).....3-5
    - 3.1.3 Distribution Automation.....3-5
    - 3.1.4 Operational and non-operational data.....3-6
      - 3.1.4.1 Protection.....3-6
      - 3.1.4.2 SCADA: real-time and operational support data.....3-7
      - 3.1.4.3 Using the Substation as a Data Hub.....3-8
    - 3.1.5 Substation ancillary functions to support operations .....3-8
      - 3.1.5.1 Facility alarms.....3-8
      - 3.1.5.2 Safety Monitoring .....3-8
      - 3.1.5.3 Corporate network access.....3-8
      - 3.1.5.4 Voice-Grade circuits for remote dial-up access .....3-9
        - 3.1.5.4.1 PSTN and interoffice dialing .....3-9
        - 3.1.5.4.2 VoIP and its use as a backup to the PSTN.....3-9
      - 3.1.5.5 Dispatcher communications .....3-10
      - 3.1.5.6 Surveillance video .....3-10
  - 3.2 Typical communications characteristics .....3-10
    - 3.2.1 Effective Data Throughput.....3-12
    - 3.2.2 Latency 3-13
    - 3.2.3 Network Availability .....3-13
    - 3.2.4 Network Management and Monitoring.....3-15
  - 3.3 Cyber Security Requirements and Impact of NERC CIP .....3-16
    - 3.3.1.1 Critical Asset Determination.....3-19
    - 3.3.1.2 Routable Protocol Discussion.....3-20
    - 3.3.1.3 NERC Compliance as Justification for Communications Upgrades ..3-21
    - 3.3.2 CIP Implementation in light of date of June 2007.....3-21
    - 3.3.3 Architectures for Access Logging – Remote/Local vs. Centralized .....3-23
      - 3.3.3.1 Electronic Security Perimeter .....3-23
      - 3.3.3.2 Network Devices to Perform Access Control & Security.....3-24
  - 3.4 Standards and Industry trends .....3-28
    - 3.4.1 Standards.....3-28
      - 3.4.1.1 Hardware, environment oriented: IEEE 1613 and IEC 61850-3.....3-29
      - 3.4.1.2 Protocols .....3-31
        - 3.4.1.2.1 DNP3.0 serial and DNP3.0/LAN.....3-32
        - 3.4.1.2.2 IEC 61850 .....3-33
        - 3.4.1.2.3 Ethernet.....3-35
        - 3.4.1.2.4 IPV4 and IPV6.....3-36
          - 3.4.1.2.4.1 Impact of IPV6 on present networks .....3-38

# Table of Contents

|       |   |  |      |
|-------|---|--|------|
|       | 3.4.1.2.5   | ICCP .....   | 3-39 |
|       | 3.4.1.2.6   | IEEE Standard C37.118-2005 Synchrophasors .....                            | 3-40 |
|       | 3.4.1.2.7   | The use of Terminal Emulation Protocols .....                              | 3-40 |
|       | 3.4.1.2.8   | Other Protocols: MODBUS, EtherNet/IP, DeviceNet .....                      | 3-41 |
| 3.4.2 | Industry Trends .....   |  | 3-42 |
|       | 3.4.2.1   | The use of Intelligent Electronic Devices (IEDs) .....                     | 3-42 |
|       | 3.4.2.2   | SONET Versus RPR .....   | 3-43 |
|       | 3.4.2.2.1   | SONET .....  | 3-43 |
|       | 3.4.2.2.2   | Resilient packet Ring (RPR).....   | 3-44 |
|       | 3.4.2.3   | Migration of Serial communications to IP Networks .....                    | 3-46 |
|       | 3.4.2.4   | One Infrastructure/Consolidation .....                                     | 3-48 |
|       | 3.4.2.5   | Separation of Data Paths .....   | 3-48 |
| 3.4.3 | International Trends.....   |  | 3-49 |
|       | 3.4.3.1   | Most Significant: IEC 61850.....   | 3-49 |
|       | 3.4.3.2   | Conclusions on International Trends.....                                   | 3-53 |
| 3.5   | Timing and Synchronization for Substation Communication .....     |  | 3-54 |
| 4.    | Assessment of the Current Communications Infrastructure.....      |  | 4-1  |
| 4.1   | Assessment Components.....  |  | 4-1  |
| 4.2   | Leased vs Private Networks .....                                  |  | 4-2  |
|       | 4.2.1   | Use of Public Carriers as the Transport Network.....                       | 4-3  |
|       | 4.2.1.1   | The Service Level Agreement .....  | 4-4  |
|       | 4.2.2   | The cost/benefit economics, leased vs private facilities (PWAC model)..... | 4-4  |
|       | 4.2.3   | Utility Examples of Lease vs Build Decisions .....                         | 4-5  |
|       | 4.2.3.1   | Georgia Power.....   | 4-6  |
| 4.3   | Dial-up Communications .....                                      |  | 4-7  |
|       | 4.3.1   | Present requirements and next 5-10 years.....                              | 4-7  |
|       | 4.3.2   | Dial-up and Security Considerations .....                                  | 4-8  |
| 4.4   | Considerations of IP Network Communications .....                 |  | 4-8  |
|       | 4.4.1   | Ethernet/IP Communications Characteristics for a Utility Environment ..... | 4-8  |
|       | 4.4.1.1   | Virtual LAN (VLAN) .....   | 4-8  |
|       | 4.4.1.2   | MPLS .....   | 4-9  |
|       | 4.4.1.3   | Quality-of-Service for IP Networks.....                                    | 4-10 |
|       | 4.4.1.4   | Use of IPSEC for secure tunneling.....                                     | 4-13 |
|       | 4.4.1.5   | Case Study: Overton Power District Number 5 (OPD5) .....                   | 4-13 |
|       | 4.4.2   | Future Intelligent Applications Enabled by IP .....                        | 4-14 |
|       | 4.4.3   | Serial vs Networked Communications .....                                   | 4-14 |
|       | 4.4.3.1   | SCADA Over IP Case Study Examples .....                                    | 4-16 |
|       | 4.4.3.1.1   | Example Utility Implementation of SCADA over IP. ....                      | 4-17 |
|       | 4.4.3.1.2   | Chattanooga Electric Power Board (CEPB).....                               | 4-18 |
| 5.    | Consideration of specific communications segments and paths ..... |  | 5-22 |
| 5.1   | Intra-substation.....   |  | 5-22 |
|       | 5.1.1   | Evolving Industry practices and equipment .....                            | 5-22 |
|       | 5.1.1.1   | Requirements, standards for substation physical environment.....           | 5-23 |
|       | 5.1.1.2   | The use of DNP3 vs. IEC 61850.....   | 5-24 |
|       | 5.1.1.2.1   | Protocol Comparison .....  | 5-25 |
|       | 5.1.2   | IEDs vs I/O modules .....  | 5-29 |
|       | 5.1.3   | Cabling for Substation Communications .....                                | 5-30 |
|       | 5.1.3.1   | The Use of Copper vs. Fiber Cabling.....                                   | 5-30 |

# Table of Contents

---

|             |   |      |
|-------------|---|------|
| 5.1.3.2     | Tracing buried all-dielectric fiber cables.....                         | 5-31 |
| 5.1.4       | Considerations for Wireless Carrier Networks.....                       | 5-31 |
| 5.1.4.1     | Security .....  | 5-32 |
| 5.1.4.1.1   | Physical Layer Security.....  | 5-34 |
| 5.1.4.1.2   | Protect the privacy of data.....  | 5-35 |
| 5.1.4.1.3   | Guard against unauthorized access.....                                  | 5-35 |
| 5.1.4.1.4   | Secure Local/Remote Management .....                                    | 5-35 |
| 5.1.4.1.5   | Security Incident Reporting .....                                       | 5-36 |
| 5.1.5       | Case studies/examples of intra-substation configurations.....           | 5-36 |
| 5.1.5.1     | Pennsylvania Power and Light (PPL).....                                 | 5-36 |
| 5.1.5.2     | Basin Electric Power Cooperative (BEPC) .....                           | 5-38 |
| 5.2         | Substation to network transport.....                                    | 5-39 |
| 5.2.1       | Representative Traffic Model .....                                      | 5-39 |
| 5.2.2       | Consideration of Physical Facilities .....                              | 5-42 |
| 5.2.2.1     | Fiber.....  | 5-44 |
| 5.2.2.2     | Microwave Point-to-Point Radio .....                                    | 5-46 |
| 5.2.2.3     | Point-to Multipoint Radio .....   | 5-47 |
| 5.2.2.3.1   | MAS - Licensed 900 MHz narrowband (FCC).....                            | 5-47 |
| 5.2.2.3.1.1 | Las Vegas Valley Water District .....                                   | 5-48 |
| 5.2.2.3.2   | License-free 900 MHz.....   | 5-50 |
| 5.2.2.3.2.1 | Ways to Ensure Interference Mitigation .....                            | 5-50 |
|             | Mitigation in product design .....                                      | 5-51 |
|             | Mitigation-System Engineering and Planning .....                        | 5-52 |
| 5.2.2.3.3   | WiMax.....  | 5-54 |
| 5.2.2.4     | Multipoint-to-Multipoint Radio: Mesh Networks.....                      | 5-55 |
| 5.2.2.5     | Leased: Landline and Cellular.....                                      | 5-56 |
| 5.2.2.5.1   | Landline .....  | 5-56 |
| 5.2.2.5.2   | Cellular .....  | 5-57 |
| 5.2.2.5.2.1 | EVDO .....  | 5-57 |
| 5.2.2.5.2.2 | GPRS .....  | 5-58 |
| 5.2.2.5.2.3 | IDEN .....  | 5-58 |
| 5.2.2.5.3   | Power Line Carrier Communications .....                                 | 5-58 |
| 5.2.2.5.4   | Power Line Carrier Communication, Transmission .....                    | 5-58 |
| 5.2.2.5.5   | Broadband over Powerline (BPL) in Distribution .....                    | 5-61 |
| 5.2.2.6     | Satellite .....   | 5-63 |
| 5.2.2.6.1   | AEP's Use of VSAT .....   | 5-64 |
| 5.2.3       | Case Studies/Examples of Substation to Network Transport Configurations | 5-64 |
| 5.2.3.1     | AEP.....  | 5-65 |
| 5.2.3.2     | PacifiCorp .....  | 5-66 |
| 5.2.3.3     | Blue Ridge EMC (BREMC).....   | 5-68 |
| 5.3         | Network Transport .....   | 5-70 |
| 5.3.1       | Representative traffic model.....                                       | 5-70 |
| 5.3.1.1.1   | Transport Loading .....   | 5-70 |
| 5.3.2       | Case studies/examples of network transport configurations.....          | 5-72 |
| 5.3.2.1     | Nashville Electric Service (NES).....                                   | 5-72 |
| 5.3.2.2     | Mid Carolina Electric Cooperative (MCEC) .....                          | 5-73 |
| 5.3.2.3     | Central Lincoln PUD (CLPUD) .....                                       | 5-76 |
| 5.4         | Data Paths .....  | 5-78 |

# Table of Contents

---

|           |   |      |
|-----------|---|------|
| 5.4.1     | Paths Internal to the Utility .....   | 5-79 |
| 5.4.2     | Paths to External Utility .....   | 5-80 |
| 5.4.3     | Paths to ISOs and System Operators.....                                     | 5-80 |
| 6.        | Implementation Considerations .....   | 5-1  |
| 6.1       | Sustaining The Legacy And New Networks Simultaneously .....                 | 5-1  |
| 6.1.1     | Evolving the Existing Infrastructure.....                                   | 5-1  |
| 6.1.1.1   | United Illuminating Case Study .....  | 5-2  |
| 6.1.2     | Time Frames .....   | 5-4  |
| 6.2       | Organizational Considerations .....   | 5-5  |
| 6.3       | Alternative Approaches to Deployment .....                                  | 5-5  |
| 6.3.1     | Do it yourself (advantages, disadvantages, utility experiences) .....       | 5-6  |
| 6.3.2     | Pilot Projects (advantages, disadvantages, utility experiences) .....       | 5-7  |
| 6.3.3     | Outsourcing (planning, engineering, turnkey).....                           | 5-7  |
| 6.3.4     | Where do I start?.....  | 5-8  |
| 6.3.4.1   | Needs Analysis .....  | 5-8  |
| 6.3.4.2   | System Procurement Activities .....   | 5-9  |
| 6.3.4.3   | Request For Information .....   | 5-10 |
| 6.3.4.4   | Request for Proposal .....  | 5-11 |
| 6.3.4.5   | Proposal Evaluation .....   | 5-11 |
| 6.3.4.6   | Contract Negotiation .....  | 5-11 |
| 7.        | Benefit/Costs of an Enterprise-level Technology Integration Strategy.....   | 7-1  |
| 7.1       | Benefit Of Enterprise Level Technology Integration-Business Drivers .....   | 7-1  |
| 7.1.1     | Improve Operational Efficiencies.....                                       | 7-2  |
| 7.1.2     | Improve Supply Reliability .....  | 7-3  |
| 7.1.3     | Improve Service Quality .....   | 7-3  |
| 7.1.4     | Regulatory Compliance .....   | 7-4  |
| 7.1.5     | Supports Energy Efficiency.....   | 7-4  |
| 7.1.6     | Enhance Community Benefits .....  | 7-4  |
| 7.2       | Cost/Benefit Of Improving Communications Infrastructure .....               | 7-5  |
| 7.2.1     | Condition Based Inspections and Maintenance .....                           | 7-6  |
| 7.2.1.1   | Maintenance Savings .....   | 7-7  |
| 7.2.1.2   | Repair Savings .....  | 7-7  |
| 7.2.1.3   | Replacement Energy Savings .....  | 7-8  |
| 7.2.1.4   | Congestion Cost Savings .....   | 7-8  |
| 7.2.1.5   | Savings from Deferred Capital Expenditures .....                            | 7-8  |
| 7.2.2     | Fault Event Record Retrieval and Analysis .....                             | 7-8  |
| 7.2.3     | Dynamic Equipment Rating .....  | 7-9  |
| 7.2.4     | Voltage/VAR Control.....  | 7-9  |
| 7.2.5     | Feeder Reconfiguration and Load Balancing.....                              | 7-9  |
| 7.2.6     | Intelligent Alarm Processing .....  | 7-10 |
| 7.2.7     | Summary of Benefits.....  | 7-10 |
| 7.3       | Communications and efficiencies, personnel and operational activities ..... | 7-12 |
| 7.4       | Case Study Examples of Benefit and Cost .....                               | 7-14 |
| 7.4.1     | Utility case study #1: key benefit compared to costs.....                   | 7-14 |
| 7.4.1.1   | Evaluation of Alternatives .....  | 7-14 |
| 7.4.1.1.1 | Cash Flow Analysis .....  | 7-15 |
| 7.4.1.1.2 | Annual Charge Analysis .....  | 7-16 |
| 7.4.1.2   | Recommended Alternative: Fiber/Digital Radio Mix .....                      | 7-17 |



# Table of Contents

- 7.4.1.3 Economics of a Mixed Digital Radio/Fiber Solution..... 7-17
- 7.4.2 Utility case study #2: key benefit compared to costs..... 7-18
  - 7.4.2.1 Option 1: Build out to remaining substations with leased T1 ..... 7-19
  - 7.4.2.2 Option 1a: 56 Kbps Circuit..... 7-20
  - 7.4.2.3 Option 2: Build out SONET Transport ..... 7-20
  - 7.4.2.4 Option 3: Connect Distribution Substations to the Backbone ..... 7-21
  - 7.4.2.5 Option 4: Separate Frame Relay For Distribution Substations..... 7-23
    - 7.4.2.5.1 Recommended Communications Architecture ..... 7-24
- 7.4.3 PG&E Case Study: key benefits compared to costs ..... 7-26
- 8. Scalability of Communications and Benefits/Costs..... 8-1
  - 8.1 Appropriate Communications per Scale of Operations ..... 8-1
    - 8.1.1 Tri-State Generation and Transmission (G&T)..... 8-2
  - 8.2 Ability to Plan for Future Requirements..... 8-3
    - 8.2.1 Blue Ridge EMC (BREMC) ..... 8-3
  - 8.3 Case Studies ..... 8-4
    - 8.3.1 BEMC case study ..... 8-4
    - 8.3.2 Lincoln Water System Case Study ..... 8-7

Order Form 12

## Figures

- Figure 1: A Vision of Integrated Utility Enterprise Systems ..... II
- Figure 2: Summary of Benefits With No Network Connection..... VIII
- Figure 3: Summary of Benefits With Network Connection..... VIII
- Figure 4: Net Benefits of Adding a Network Connection ..... IX
- Figure 2-1: Smart Grid Concept Impacts Many Utility Business Functions ..... 2-2
- Figure 2-2: A Vision of Integrated Utility Enterprise Systems ..... 2-3
- Figure 2-3: Smart Grid Opportunities, Enablers, and Benefits ..... 2-4
- Figure 3-1 Hypothetical Security System Architecture ..... 3-27
- Figure 3-2 IEC61850 in Europe ..... 3-50
- Figure 4-1: Typical Connectivity to Support IP at a Substation ..... 4-17
- Figure 5-1: AMR configuration with leased cellular..... 5-33
- Figure 5-2: Typical Transmission Substation Data Offered to WAN..... 5-41
- Figure 5-3: Typical Distribution Substation Data Offered to WAN..... 5-41
- Figure 5-4: Typical Access Configuration from the Substation to the Corporate Network ..... 5-43
- Figure 5-5: PLC Links for Access Nodes..... 5-60
- Figure 5-6: Effects of Substation Participation on Transport Backbone ..... 5-71
- Figure 7-1: Summary of Benefits With No Network Connection ..... 7-11
- Figure 7-2: Summary of Benefits With Network Connection ..... 7-11
- Figure 7-3: Net Benefits of Adding a Network Connection ..... 7-12
- Figure 7-4: Option 1 Representative Connectivity..... 7-20
- Figure 7-5: WiMax and Mesh Network Interoperability ..... 7-23
- Figure 7-6: Option 4: Separate Frame Relay Network for Distribution Substations..... 7-24



# Table of Contents

---

## **Tables**

|   |      |
|---|------|
| Table 2-1 Characteristics of 21 <sup>st</sup> Century Smart Grid.....               | 2-3  |
| Table 3-1: Network Availability Objectives.....                                     | 3-14 |
| Table 3-2 NERC Compliance Matrix-RuggedCom.....                                     | 3-25 |
| Table 3-3 NERC Compliance Matrix Summary for GarrettCom .....                       | 3-26 |
| Table 3-4 NERC Compliance Matrix Summary for Gauntlet .....                         | 3-28 |
| Table 4-1: Comparison of Network-Based vs. Point-to-Point Circuits.....             | 4-15 |
| Table 5-1: Comparison of DNP3 and IEC 61850 .....                                   | 5-26 |
| Table 5-2 PLC Classifications .....   | 5-59 |
| Table 5-3 BPL Application Considerations .....                                      | 5-61 |
| Table 7-1: 5-Year Cash Flow Analysis of Implementation Options.....                 | 7-15 |
| Table 7-2: Annual yearly charge Analysis .....                                      | 7-16 |
| Table 7-3: 5-Year Cash Flow Analysis With Fiber/Radio Alternative Included .....    | 7-18 |
| Table 7-4: Annual yearly charge Analysis With Fiber/Radio Alternative Included..... | 7-18 |
| Table 7-5: Summary of Communications Architecture Option Costs.....                 | 7-25 |